



**CITY OF MILPITAS  
NOTICE OF PUBLIC HEARING**

**NOTICE IS HEREBY GIVEN** that the Milpitas City Council will hold public hearings on Tuesday, October 6, 2015 at 7:00 PM in City Hall Council Chambers, 455 E. Calaveras Blvd., 2<sup>nd</sup> floor, Milpitas, CA on the following three topics:

- 1. WATER AND RECYCLED WATER RATES:** City Council will consider water and recycled water rates for Fiscal Years 2015-16 and 2016-17. Rate increases by introduction of Ordinance No. 120.47 will also be considered in response to increased water supply costs imposed by the San Francisco Public Utilities Commission, the Santa Clara Valley Water District, and South Bay Water Recycling, and increased maintenance, operational, and capital costs of the City's distribution system infrastructure. The water rate study has been updated to meet new requirements.
- 2. SUPPLEMENTAL WATER USE RESTRICTIONS:** On Tuesday, June 16, 2015, City Council adopted Urgency Ordinance No. 240.3 which added supplemental water use restrictions and penalties per state law, including a 10% penalty for exceeding water use. In response to recent court rulings, City Council will consider amending the Urgency Ordinance by removing the 10% penalty and adding additional enforcement actions for non-compliance via adoption of proposed Ordinance No. 240.4.

**NOTICE IS FURTHER GIVEN**, pursuant to CA Government Code §65009, that any challenge of these matters in court may be limited to raising only those issues raised at the public hearings on October 6, 2015 or in written or e-mailed correspondence delivered to the City Council at, or prior to, this hearing.

**ANY PERSONS** who wish to comment are encouraged to attend the public hearings or to submit written comments to the City Council prior to the hearings. Written comments may be mailed or delivered to: City Clerk, City of Milpitas, 455 E. Calaveras Blvd, Milpitas, CA 95035, or sent by e-mail to [mlavelle@ci.milpitas.ca.gov](mailto:mlavelle@ci.milpitas.ca.gov).

Mary Lavelle  
City Clerk  
09/25/2015